



## Commercial Glasswashers

### Dishwasher for small size hospitality.

For washing glasses, cups, cutlery and small tableware.



Sammic commercial glasswashers offer a wide variety of solutions for the different user' needs. Our offer is organised in 3 product ranges, according to their different performance levels.

We help you find **The Right Glasswasher** for your specific needs

**Sammic SUPRA:** electronic range with cycle selection. Complete with wash and rinse temperature display, double-walled construction and cold rinse facility. 400x400 mm. basket and a maximum glass height of 280mm.

**Sammic X-TRA:** electronic range with cycle selection and cold rinse facility. With 350x350mm. or 400x400 mm. basket and a maximum glass height of up to 280 mm., this line offers a wide choice of extra options.

**Sammic PRO:** as a starting point, Sammic offers an electro-mechanic range with 350x350mm. or 400x400mm. basket and a maximum glass height of up to 280 mm.



	P-35	P-41	X-35	X-40	X-41	S-41
<b>FEATURES</b>						
BASKET DIMENSIONS	350 x 350 mm	400 x 400 mm	350 x 350 mm	400 x 400 mm	400 x 400 mm	400 x 400 mm
MAXIMUM GLASS HEIGHT	220mm	280mm	220mm	240mm	280mm	280mm
COLD RINSE BUTTON	-	-	yes	yes	yes	yes
UPPER WASH	-	-	-	-	yes	yes
ELECTRONIC CONTROL PANEL	-	-	yes	yes	yes	yes
WASH TEMPERATURE DISPLAY	-	-	-	-	-	yes
RINSE TEMPERATURE DISPLAY	-	-	-	-	-	yes
DOUBLE WALL	-	-	-	-	-	yes
<b>CYCLES</b>						
CYCLES	1	1	3	3	3	3
CYCLE DURATION	120"	120"	120/180/130"	120/180/130"	120/180/130"	120/180/130"
PRODUCTION BASKETS/ HOUR	30	30	30 / 20 / 27	30 / 20 / 27	30 / 20 / 27	30 / 20 / 27
<b>LOADING</b>						
PUMP POWER	0.1Hp / 75W	0.3Hp / 220W	0.1Hp / 75W	0.3Hp / 220W	0.33Hp / 240W	0.33Hp / 240W
TANK	1500W	1500W	1500W	1500W	1500W	1500W
BOILER	2000W	2000W	2800W	2800W	2800W	2800W
TOTAL LOADING	2075W	2220W	2875W	3020W	3040W	3040W
<b>EXTERNAL DIMENSIONS (WxDxH)</b>						
EXTERNAL DIMENSIONS (WxDxH)	420x495x645mm	470x535x710mm	420x495x645mm	470x535x670mm	470x535x710mm	490x535x710mm
NET WEIGHT	31Kg	39Kg	33Kg	41Kg	42Kg	44Kg



## Commercial Glasswashers

### Dishwasher for small size hospitality.

For washing glasses, cups, cutlery and small tableware.



Sammic commercial glasswashers offer a wide variety of solutions for the different user' needs. Our offer is organised in 3 product ranges, according to their different performance levels.

We help you find **The Right Glasswasher** for your specific needs

**Sammic SUPRA:** electronic range with cycle selection. Complete with wash and rinse temperature display, double-walled construction and cold rinse facility. 400x400 mm. basket and a maximum glass height of 280mm.

**Sammic X-TRA:** electronic range with cycle selection and cold rinse facility. With 350x350mm. or 400x400 mm. basket and a maximum glass height of up to 280 mm., this line offers a wide choice of extra options.

**Sammic PRO:** as a starting point, Sammic offers an electro-mechanic range with 350x350mm. or 400x400mm. basket and a maximum glass height of up to 280 mm.



	P-35	P-41	X-35	X-40	X-41	S-41
<b>FEATURES</b>						
BASKET DIMENSIONS	350 x 350 mm	400 x 400 mm	350 x 350 mm	400 x 400 mm	400 x 400 mm	400 x 400 mm
MAXIMUM GLASS HEIGHT	220mm	280mm	220mm	240mm	280mm	280mm
COLD RINSE BUTTON	-	-	yes	yes	yes	yes
UPPER WASH	-	-	-	-	yes	yes
ELECTRONIC CONTROL PANEL	-	-	yes	yes	yes	yes
WASH TEMPERATURE DISPLAY	-	-	-	-	-	yes
RINSE TEMPERATURE DISPLAY	-	-	-	-	-	yes
DOUBLE WALL	-	-	-	-	-	yes
<b>CYCLES</b>						
CYCLES	1	1	3	3	3	3
CYCLE DURATION	120"	120"	120/180/130"	120/180/130"	120/180/130"	120/180/130"
PRODUCTION BASKETS/ HOUR	30	30	30 / 20 / 27	30 / 20 / 27	30 / 20 / 27	30 / 20 / 27
<b>LOADING</b>						
PUMP POWER	0.1Hp / 75W	0.3Hp / 220W	0.1Hp / 75W	0.3Hp / 220W	0.33Hp / 240W	0.33Hp / 240W
TANK	1500W	1500W	1500W	1500W	1500W	1500W
BOILER	2000W	2000W	2800W	2800W	2800W	2800W
TOTAL LOADING	2075W	2220W	2875W	3020W	3040W	3040W
<b>EXTERNAL DIMENSIONS (WxDxH)</b>						
EXTERNAL DIMENSIONS (WxDxH)	420x495x645mm	470x535x710mm	420x495x645mm	470x535x670mm	470x535x710mm	490x535x710mm
NET WEIGHT	31Kg	39Kg	33Kg	41Kg	42Kg	44Kg



**PRO**

*Professional ware-washing with total guarantee*

Commercial glass-washers to obtain **professional results with total guarantee**. Electromechanical glasswashers that are **easy and intuitive** to use. Glasswashers with a max. loading height of up to 280mm and an independent boiler in all models. Achieve professional results with **low consumption**.

Sammic PRO glasswashers are equipped with an **easy-to-use** electro-mechanical control panel. With one pre-set wash cycle, they are designed for quick and easy maintenance.

Manufactured from catering grade stainless steel and incorporating **top quality components**, their **double-skinned door** with high efficiency seal ensures **thermal and acoustic insulation**. The door is equipped with a magnetic micro-switch.

Inside the glasswasher, the stainless steel high-performance dispersers ensure an even distribution of wash water without dead zones. Precision positioned water jets guarantee **optimum washing results** for even the most stubbornly stained glasses. The boltless rinse spray arms are very easy to assemble for cleaning and maintenance.

A double filter system provides effective wash pump protection that is easily removed (for maintenance and cleaning) and replaced, without tools. All Sammic PRO glasswashers incorporate a wash tank and an independent rinse boiler.



**GLASSWASHER P-35**

To wash 30 baskets/hour. 350x350mm racks. Max. loading height: 220mm.

Capacity by basket: 16 glasses of Ø8mm.Each.

Hourly output: 30 baskets or 480 glasses.

		RRP €
1301950	Glasswasher P-35 230/50/1	<b>1.199</b>

**Default equipment**

- Rinse aid pump.
- 1 open basket.
- 1 mixed basket.
- 1 small cutlery basket.

**Optional equipment**

- Detergent dosing equipment.
- Stand.
- High feet kit 140-190mm.



**GLASSWASHER P-41**

To wash 30 baskets/hour. 400x400mm racks. Max. loading height: 280mm.

Capacity by basket: 20 glasses of Ø8mm.Each.

Hourly output: 30 baskets or 600 glasses.

		RRP €
1302000	Glasswasher P-41 230/50/1	<b>1.519</b>

**Default equipment**

- Rinse aid pump.
- 1 open basket.
- 1 mixed basket.
- 1 small cutlery basket.

**Optional equipment**

- Detergent dosing equipment.
- Stand.
- High feet kit 140-190mm.



## X-TRA

### Versatility and Adaptability

Glass-washers with a “soft” control panel and cycle selection. These glasswashers include **cold rinsing facility as standard**. You can also choose extras such as drain pumps or incorporated water softener.

Manufactured from catering grade stainless steel and incorporating top quality components, their double-skinned door with high efficiency seal ensures thermal and acoustic insulation. The door is equipped with a magnetic micro-switch.

Inside the glasswasher, the stainless steel high-performance dispersers ensure an even distribution of wash water without dead zones. Precisely positioned water jets guarantee optimum washing result for even the most stubbornly stained glasses. The boltless rinse spray arms are very easy to assemble for cleaning and maintenance.

Rinse dispersers are stainless steel made, have no screws and offer easy assembly and simple and clean lock.

A double filter system provides effective wash pump protection that is easily removed (for maintenance and cleaning) and replaced, without tools. All Sammic X-TRA glasswashers incorporate a wash tank and an independent rinse boiler.

X-TRA range glasswashers are equipped with stainless steel, top-quality rack holders and guides. All models are equipped with a rinse-aid dispenser, adjustable thermostats in the boiler and thermal cycle delay option. This ensures a minimum final rinse temperature of 85°C at the beginning of each rinse cycle.

Extremely easy to use, X-TRA range glasswashers have been designed for easy and fast on-site maintenance.



#### GLASSWASHER X-35

To wash 30 baskets/hour. 350x350mm racks. Max. loading height: 220mm.

3 wash cycles.

Cold rinse facility.

Option of built-in water softener.

		RRP €
1301960	Glasswasher X-35 230/50/1	1.439
1301964	Glasswasher X-35D 230/50/1 (built-in water softener)	1.633

##### Default equipment

- Rinse aid pump.
- 1 open basket.
- 1 mixed basket.
- 1 small cutlery basket.

##### Optional equipment

- Models with built-in water softener available.
- Detergent dosing equipment.
- Stand.
- High feet kit 140-190mm.



#### GLASSWASHER X-40

400x400mm racks. Max. loading height: 240mm

3 wash cycles.

Cold rinse facility.

Option of built-in water softener.

		RRP €
1301980	Glasswasher X-40 230/50/1	1.655
1301984	Glasswasher X-40B 230/50/1 (with drain pump)	1.844
1301988	Glasswasher X-40D 230/50/1 (built-in water softener)	1.849
1301993	Glasswasher X-40BD 230/50/1 (built-in water softener and drain pump)	2.037

##### Default equipment

- Rinse aid pump.
- 1 open basket.
- 1 mixed basket.
- 1 small cutlery basket.

##### Optional equipment

- Models with built-in water softener available.
- Models with drain pump and non-return valve available.
- Detergent dosing equipment.
- Stand.
- High feet kit 140-190mm.



**GLASSWASHER X-41**

400x400mm racks. Max. loading height: 280mm

Top + bottom wash arms.

3 wash cycles.

Cold rinse facility.

Option of built-in water softener.

		RRP €
1302020	Glasswasher X-41 230/50/1	1.822
1302024	Glasswasher X-41B 230/50/1 (with drain pump)	2.011
1302028	Glasswasher X-41D 230/50/1 (built-in water softener)	2.016
1302032	Glasswasher X-41BD 230/50/1 (built-in water softener and drain pump)	2.204

**Default equipment**

- Rinse aid pump.
- 1 open basket.
- 1 mixed basket.
- 1 small cutlery basket.

**Optional equipment**

- Models with built-in water softener available.
- Models with drain pump and non-return valve available.
- Detergent dosing equipment.
- Stand.
- High feet kit 140-190mm.





**SUPRA**

*Excellence at the service of Ware Washing*

Glasswashers **fully double skinned** resulting in **thermal and acoustic insulation**, which translates into limited consumption and a quieter working environment. "Soft" control panel where you can **select cycles** and **visualise temperatures**. **Cold rinse facility** is included.

Sammic SUPRA also offers an extensive catalogue of extras such as drain pumps or incorporated water softener.

Sammic SUPRA glasswashers offer the best performance to wash glasses, cups, cutlery, small plates, etc. Equipped with a "soft" electronic, watertight control panel, they offer 3 wash cycles with final cold rinse option. Designed for easy and intuitive use, the control panel is equipped with wash and rinse temperature display.

Sammic SUPRA glasswashers are manufactured from catering grade AISI 304 2B stainless steel and incorporate top quality components. Their double-skinned construction offers high efficiency seal on the door with their resulting thermal and acousting insulation and energy saving features. The door is equipped with a magnetic safety micro-switch.

Inside the glasswasher, the stainless steel high-performance dispersers ensure an even distribution of wash water without dead zones. Precision positioned water jets guarantee optimum washing result for even the most stubbornly stained glasses. The boltless rinse spray arms are very easy to assemble for cleaning and maintenance.

Rinse dispersers are stainless steel made, have no screws and offer easy assembly and simple and clean lock.

A double filter system provides effective wash pump protection. It is easily removable (for maintenance and cleaning) and can be replaced without tools. All Sammic SUPRA glasswashers are equipped with an independent rinse boiler.

The tank, with rounded finish, has no sharp corners, avoiding accumulation of dirt. SUPRA range glasswashers are equipped with stainless steel, top-quality rack holders and guides. All models are equipped with a rinse-aid dispenser, adjustable thermostats in the boiler and thermal cycle delay option. This ensures a minimum final rinse temperature of 85°C at the beginning of each rinse cycle

Extremely easy to use, SUPRA range glasswashers have been designed for easy and fast on-site maintenance.



**GLASSWASHER S-41**

- 400x400mm racks. Max. loading height: 280mm
- Top + bottom wash arms.
- 3 wash cycles.
- Cold rinse facility.
- Option of built-in water softener.

		RRP €
1302040	Glasswasher S-41 230/50/1	2.041
1302044	Glasswasher S-41B 230/50/1 (with drain pump)	2.229
1302048	Glasswasher S-41D 230/50/1 (built-in water softener)	2.235
1302052	Glasswasher S-41BD 230/50/1 (built-in water softener and drain pump)	2.423

**Default equipment**

- Rinse aid pump.
- 1 open basket.
- 1 mixed basket.
- 1 small cutlery basket.

**Optional equipment**

- Models with built-in water softener available.
- Models with drain pump and non-return valve available.
- Detergent dosing equipment.
- Stand.
- High feet kit 140-190mm.

**ACCESSORIES**

**Stands for glass- and dishwashers**



Specially designed for Sammic dishwashers

Available in different sizes to fit each Sammic front loading glass- and dishwasher.

- ▶ Best quality stainless steel construction.
- ▶ Rubber feet.
- ▶ Complete with undershelf for dishwasher racks.

		RRP €
1310015	Stand for mod.35 (445x445x440)	216
1310014	Stand for mod.40-41 (485x495x440)	223
1310013	Stand for mod.45 (545x530x440)	231
1310012	Stand for mod.50-60 (615x570x440)	235





**High Feet Kit**



Stainless steel made high feet kit  
140-190 mm. high feet to fit all  
Sammic glass- and dishwashers.

		RRP €
2310671	High feet kit 140-190mm. (4 units)	<b>53</b>

**Dosing equipments**



Specially designed for Sammic  
glass- and dishwashers  
Detergent dosing kits for Sammic  
glass- and dishwashers.

		RRP €
2310429	Detergent dosing kit for 35-60	<b>130</b>
2310440	Detergent dosing kit for 100-120	<b>130</b>

**Basket 350X350**

350x350mm basket for glasses and plates.

► Open basket extra height 350x350.

- Open basket 350x350.
- Plate basket 350x350.



2302612  
Open basket 350x350x110mm  
RRP **30€**



2302613  
Plate basket 350x350x110mm  
RRP **30€**



2307217  
Glass basket extra height  
350x350x150mm  
RRP **31€**



4301923  
Open basket extra height  
350x350x160mm (wire)  
RRP **40€**

**400X400**

400x400 basket for glasses and plates.

► Open basket extra height 400x400.

- Open basket 400x400.
- Plate basket 400x400.



2305468  
Open basket 400x400x110mm  
RRP **30€**



2307028  
Plate basket 400x400x130mm  
RRP **30€**



2307219  
Glass basket extra height  
400x400x150mm  
RRP **34€**



2309733  
Open basket extra height  
400x400x160mm (wire)  
RRP **46€**





**Inserts, supplements & similar**

Available for different glass and dishwashers.

Different sizes of cutlery baskets and saucer carrier.



2302058  
Saucer carrier 310x95mm  
RRP 6€



2305488  
Saucer carrier 350x95mm  
RRP 7€



2302615  
Small cutlery basket  
RRP 3€



2302617  
Small cutlery basket - double  
RRP 7€



5300135  
C-1370 Cutlery cylinder  
105x105x125mm  
RRP 5€



5300125  
C-1371 Small cutlery basket  
430x210x150mm  
RRP 14€

**Manual water softeners**



4 models available from 8 to 20 litres  
Sammic water softeners are planned right down to the finest detail to be safe and easy to use.  
► Manufactured in 18/8 stainless steel.

		RRP €
5320005	Water softener D-8 8 lt. Ø185x400mm	114
5320010	Water softener D-12 12lt. Ø185x500mm	128
5320015	Water softener D-16 16 lt. Ø185x600mm	160
5320020	Water softener D-20 20lt. Ø185x900mm	196

**Automatic water softeners**



Specially indicated for the restaurant industry and bars and any other application where water for industrial use is required.

Using these devices will lower operation costs, improving system performance and equipment lifespan.

► Their operation involves food grade ionic exchange resins, that absorb calcium and magnesium salts from water.

		RRP €
5320112	Water softener DS-12 12lt. 230/50-60/1	968
5320126	Water softener DS-26 26lt. 230/50-60/1	1.169